
BUILDING A HOUSE

IN THE TOWNSHIP of LAURENTIAN VALLEY



LAURENTIAN VALLEY TOWNSHIP

Information Required by Building Department for Applications for Building a House, addition or renovation

ALL NEW HOUSES THE FOLLOWING ARE REQUIRED

- Application on Provincial Forms (with all applicable information supplied and forms signed)
- Site Plan or Plot Plan, attached
- Structural drawings, showing at minimum all dimensions, spans, size and type of materials to be used.
- Footing & foundation plans
- Floor plans
- Section details
- All elevation plans
- Heating & Ventilation Design Summary
- Culvert Application for lots on Township roads

ALL PROPOSED BUILDINGS & ADDITIONS ON SEPTIC SYSTEMS

- Application completed in full, complete with required signatures and licence numbers.
- Detailed site plan, showing location and elevations of proposed system complete with dimensions to neighboring wells, water courses, buildings etc.

ANY PROPOSED BUILDINGS ON COUNTY ROADS

• County Entrance Permit, if required 732-4353

ANY PROPOSED BUILDING ON A PROVINCIAL HIGHWAY

M.T.O. Building Permit, (Within 150' of front lot line) Phone 613 742 5322, Fax 613-748-5297

ANY PROPOSED BUILDING FRONTING ON THE OTTAWA RIVER FLOOD PLAIN

- Elevation Survey prepared by Ontario Land Surveyor
- Engineered foundation plans

Building a house requires a Ministry of Labour Notice of Project, these can be completed online at www.enop.labour.gov.on.ca/ENOPWeb/welcome.do

All electrical wiring must be inspected by the Electrical Safety Authority. Separate inspection applications (permits) must be filed, ESA Customer Service Centre; phone 1-877-372-7233, fax 1-800-667-4278, www.esasafe.com

Application for a Permit to Construct or Demolish This form is authorized under subsection 8(1.1) of the Building Code Act.

For use by Principal Authority									
Application number:				Permit number (if different):					
Date received:				toll num	nber:				
Application submitted to:	Laurentian \	/alley Tow	rnship, 46	60 Witt	Road, 613-735	5-6291			
					,				
A. Project information									
Building number, street nam	ne						Unit number		Lot/con.
Municipality		Postal co	ode		Plan number/	other des	cription		
Project value est. \$					Area of work	(m ²)			
B. Purpose of applicat	tion								
☐ New construction	Addition to existing be				tion/repair	<u> </u>	Demolition		Conditional Permit
Proposed use of building			Current	rent use of building					
Description of proposed work									
C. Applicant	Applicant is:								
Last name		First nan	ne		Corporation o	r partners			
Street address							Unit number		Lot/con.
Municipality		Postal co	ode		Province		E-mail		
Telephone number Fax ()				1			Cell number ()		
D. Owner (if different f	rom applicant)								
Last name		First nan	ne		Corporation o	r partners	hip		
Street address				l			Unit number		Lot/con.
Municipality		Postal co	ode		Province		E-mail	ı	
Telephone number ()		Fax ()					Cell number		

E. Builder (optional)							
Last name	First name	Corporation or partnersh	hip (if a	pplicable)			
Street address	Unit n	nit number Lot/					
Municipality	Postal code	-mail					
Telephone number ()	Fax ()	Cell number)					
F. Tarion Warranty Corporation (Ontario	o New Home Warran	ity Program)					
i. Is proposed construction for a new home as defined in the <i>Ontario New Home Warranties</i> Plan Act? If no, go to section G.							
ii. Is registration required under the Ontar	io New Home Warrantie	es Plan Act?		□ Ye	es 🗆	No	
iii. If yes to (ii) provide registration number	r(s):		•		•		
G. Required Schedules							
i) Attach Schedule 1 for each individual who rev	views and takes respons	sibility for design activities.					
H. Completeness and compliance with	applicable law						
i) This application meets all the requirements of clauses 1.3.1.3 (5) (a) to (d) of Division C of the Building Code (the application is made in the correct form and by the owner or authorized agent, all applicable fields have been completed on the application and required schedules, and all required schedules are submitted). (Provincial Application, designer schedule, Section F) Yes							
ii) This application is accompanied by the plans resolution or regulation made under clause 7	-law,	□ Y	es 🔲	No			
						No	
iv) The proposed building, construction or demol	lition will not contravene	any applicable law.		□ Y	es 🚨	No	
I. Declaration of applicant							
1				de	clare that:		
(print name)							
The information contained in this applic documentation is true to the best of my If the owner is a corporation or partners	knowledge.				er attached		
Date	Signature of	fapplicant					

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act, 1992*, and will be used in the administration and enforcement of the *Building Code Act, 1992*. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666.

Schedule 1: Designer Information

Use one form for each individual who reviews and takes responsibility for design activities with respect to the project. A. Project Information Building number, street name Lot/con. Unit no. Municipality Postal code Plan number/ other description B. Individual who reviews and takes responsibility for design activities Name Firm Street address Unit no. Lot/con. Municipality Postal code Province E-mail Telephone number Fax number Cell number () C. Design activities undertaken by individual identified in Section B. [Building Code Table 3.5.2.1. of **Division C1** ☐ House ■ HVAC – House ■ Building Structural ■ Small Buildings ■ Building Services ☐ Plumbing – House ■ Large Buildings ■ Detection, Lighting and Power ☐ Plumbing – All Buildings ☐ Fire Protection ☐ Complex Buildings ☐ On-site Sewage Systems Description of designer's work D. Declaration of Designer _____ declare that (choose one as appropriate): (print name) ☐ I review and take responsibility for the design work on behalf of a firm registered under subsection 3.2.4.of Division C, of the Building Code. I am qualified, and the firm is registered, in the appropriate classes/categories. Individual BCIN: Firm BCIN: ☐ I review and take responsibility for the design and am qualified in the appropriate category as an "other designer" under subsection 3.2.5.of Division C, of the Building Code. Individual BCIN: _____ Basis for exemption from registration: ___ ☐ The design work is exempt from the registration and qualification requirements of the Building Code. Basis for exemption from registration and qualification: I certify that:

NOTE:

Date

For the purposes of this form, "individual" means the "person" referred to in Clause 3.2.4.7(1) d).of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.

1. The information contained in this schedule is true to the best of my knowledge. 2. I have submitted this application with the knowledge and consent of the firm.

Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of practice, issued by the Ontario Association of Architects. Schedule 1 is also not required to be completed by a holder of a license to practise, a limited license to practise, or a certificate of authorization, issued by the Association of Professional Engineers of Ontario.

Signature of Designer



HESIDENTIAL MECHANICAL VENTILATION DESIGN SUMMARY For systems serving one dwelling will & conforming to the Onlario Building Code , O.reg 159/93



LUCATION OF INSTALLATION	TOTAL VENTILATI	ON CAPACITY 9.3	2.3.3.(1)
Lot# Plan#	Bsmt & Master Bdrm	@ 10L/s	L/s
Township	Other Bedrooms	@ 5 L/s	L/s
Roll # Permit #	Bathrooms & Kitch	@ 5 L/s	L/s
Address	Other Rooms	@ 5L/s	L/s
BUILDEH!		TOTAL	L/s
Name	PHINCIPAL VENTILA	ATION CAPACITY S	1.32.3.4.(1)
Address	Master Bedroom	@ 15L/s	L/s
City	Other Bedrooms	@ 7.5 L/s	sL/s
Tel. Fax		TOTAL	L/s
INSTALLING CONTRACTOR Name	Model:	KHAUST FAN CAPA Location:	CITY
Address	L/s	Sones	□HVI
City	HEAT HECO	OVERY VENTILATO)并 。 學論學是
Tel. Fax	Model.		
Combustion Appliances 9.32.3.1.(1)	L/s High	L/s	Low
a) Direct vent (sealed combustion) only	% Sensible Effi	iciency @ -25°C	THVI
, ,	Contract of the Contract of th		
b) Positive venting induced draft (except fireplaces)	SUPPLEMENTAL		PACITY
	SUPPLEMENTAL Total Ventilation Capa	_ventilation că	PACITY L/s
b) Positive venting induced draft (except fireplaces)	Total Ventilation Capa	_ VENTILATION CA	
b) Positive venting induced draft (except fireplaces) c) Natural draft, B-vent or induced draft fireplace	Total Ventilation Capa	VENTILATION CAncity	L/s
b) Positive venting induced draft (except fireplaces) c) Natural draft, B-vent or induced draft fireplace d) Solid Fuel (including fireplaces) e) No Combustion Appliances HEATING SYSTEM	Total Ventilation Capa Less Principal Ventilat required Supplementa	VENTILATION CAncity tion Capacity Il Vent. Capacity	L/sL/s
b) Positive venting induced draft (except fireplaces) c) Natural draft, B-vent or induced draft fireplace d) Solid Fuel (including fireplaces) e) No Combustion Appliances HEATING SYSTEM Non Forced Air	Total Ventilation Capa Less Principal Ventilation required Supplementa	VENTILATION CAncity tion Capacity Il Vent. Capacity	L/sL/s
b) Positive venting induced draft (except fireplaces) c) Natural draft, B-vent or induced draft fireplace d) Solid Fuel (including fireplaces) e) No Combustion Appliances HEATING SYSTEM Forced Air Non Forced Air Electric Space Heat	Total Ventilation Capa Less Principal Ventilation required Supplementa SUPPLEME	VENTILATION CAncity tion Capacity If Vent. Capacity NTALIFANS 9.32.8	L/sL/sL/s
b) Positive venting induced draft (except fireplaces) c) Natural draft, B-vent or induced draft fireplace d) Solid Fuel (including fireplaces) e) No Combustion Appliances HEATING SYSTEM Non Forced Air	Total Ventilation Capa Less Principal Ventilation required Supplementa SUPPLEME	VENTILATION CAncity tion Capacity If Vent. Capacity NTALIFANS 9.32.8	L/sL/sL/s
b) Positive venting induced draft (except fireplaces) c) Natural draft, B-vent or induced draft fireplace d) Solid Fuel (including fireplaces) e) No Combustion Appliances HEATING SYSTEM Forced Air Non Forced Air Electric Space Heat HOUSE TYPE 9,32.3.1.(2)	Total Ventilation Capa Less Principal Ventilation required Supplementa SUPPLEME	VENTILATION CAncity tion Capacity If Vent. Capacity NTALIFANS 9.32.8	L/sL/sL/s
b) Positive venting induced draft (except fireplaces) c) Natural draft, B-vent or induced draft fireplace d) Solid Fuel (including fireplaces) e) No Combustion Appliances HEATING SYSTEM Forced Air Non Forced Air Electric Space Heat HOUSE TYPE 9.32.3.1.(2) Type a) or b) appliances only, no solid fuel	Total Ventilation Capa Less Principal Ventilation required Supplementa SUPPLEME	VENTILATION CAncity tion Capacity If Vent. Capacity	L/sL/sL/s
b) Positive venting induced draft (except fireplaces) c) Natural draft, B-vent or induced draft fireplace d) Solid Fuel (including fireplaces) e) No Combustion Appliances HEATING SYSTEM Forced Air Non Forced Air Electric Space Heat HOUSE TYPE 9.32.3.1.(2) I Type a) or b) appliances only, no solid fuel II Type I except with solid fuel (including fireplace)	Total Ventilation Capa Less Principal Ventilation required Supplementa SUPPLEME	VENTILATION CAncity tion Capacity If Vent. Capacity	L/sL/sL/s
b) Positive venting induced draft (except fireplaces) c) Natural draft, B-vent or induced draft fireplace d) Solid Fuel (including fireplaces) e) No Combustion Appliances HEATING SYSTEM Selectric Space Heat HOUSE TYPE 9.32.3.1.(2) I Type a) or b) appliances only, no solid fuel II Type I except with solid fuel (including fireplace) III Any Type c) appliance	Total Ventilation Capa Less Principal Ventilation required Supplementa SUPPLEME LOCATION	VENTILATION CAncity Ition Capacity It Vent. Capacity NTALFANS 9.32.8 MODEL L/S	L/sL/sL/sL/s SONES HVI
b) Positive venting induced draft (except fireplaces) c) Natural draft, B-vent or induced draft fireplace d) Solid Fuel (including fireplaces) e) No Combustion Appliances HEATING SYSTEM Forced Air Non Forced Air Electric Space Heat HOUSE TYPE 9.32.3.1.(2) I Type a) or b) appliances only, no solid fuel II Type I except with solid fuel (including fireplace) III Any Type c) appliance IV Type I, or II with electric space heat	Total Ventilation Capa Less Principal Ventilation required Supplementa SUPPLEME LOCATION	L VENTILATION CAncity Ition Capacity It Vent. Capacity NTALFANS 9.32.8 MODEL L/S EH CENTIFICATION Itilation system has been	L/sL/sL/s .5. SONES HVI
b) Positive venting induced draft (except fireplaces) c) Natural draft, B-vent or induced draft fireplace d) Solid Fuel (including fireplaces) e) No Combustion Appliances HEATING SYSTEM Forced Air Non Forced Air Electric Space Heat HOUSE TYPE 9.32.3.1.(2) I Type a) or b) appliances only, no solid fuel II Type I except with solid fuel (including fireplace) III Any Type c) appliance IV Type I, or II with electric space heat Other: Type I,II, or IV no forced air	Total Ventilation Capa Less Principal Ventilation required Supplementa SUPPLEME LOCATION DESIGNI I hereby certify that this ver	L VENTILATION CAncity Ition Capacity It Vent. Capacity NTALFANS 9.32.8 MODEL L/S EH CENTIFICATION Itilation system has been	L/sL/sL/s .5. SONES HVI
b) Positive venting induced draft (except fireplaces) c) Natural draft, B-vent or induced draft fireplace d) Solid Fuel (including fireplaces) e) No Combustion Appliances HEATING SYSTEM Forced Air Non Forced Air Electric Space Heat HOUSE TYPE 9,32.3.1.(2) I Type a) or b) appliances only, no solid fuel II Type I except with solid fuel (including fireplace) III Any Type c) appliance IV Type I, or II with electric space heat Other: Type I,II, or IV no forced air SYSTEM DESIGN OPTION 1 Exhaust Only/Forced Air System	Total Ventilation Capa Less Principal Ventilation required Supplementa SUPPLEME LOCATION DESIGNI I hereby certify that this ver accordance with the Ontar	L VENTILATION CAncity Ition Capacity It Vent. Capacity NTALFANS 9.32.8 MODEL L/S EH CENTIFICATION Itilation system has been	L/sL/sL/s .5. SONES HVI
b) Positive venting induced draft (except fireplaces) c) Natural draft, B-vent or induced draft fireplace d) Solid Fuel (including fireplaces) e) No Combustion Appliances HEATING SYSTEM Forced Air Non Forced Air Electric Space Heat HOUSE TYPE 9.42.3.1.(2) I Type a) or b) appliances only, no solid fuel II Type I except with solid fuel (including fireplace) III Any Type c) appliance IV Type I, or II with electric space heat Other: Type I,II, or IV no forced air SYSTEM DESIGN OPTION 1 Exhaust Only/Forced Air System 2 HRV with Exhaust Ducts/Forced Air System	Total Ventilation Capa Less Principal Ventilation required Supplementa SUPPLEME LOCATION DESIGNI I hereby certify that this ver accordance with the Ontar Name	L VENTILATION CAncity Ition Capacity It Vent. Capacity NTALFANS 9.32.8 MODEL L/S EH CENTIFICATION Itilation system has been	L/sL/sL/s .5. SONES HVI

ventilation decision path (part 9) Dwelling has Electric Service? Dwelling intended for continuous winter occupancy? YES NO Mechanical Not Required Mechanical Ventilaton (Provide Natural Ventialtion per 9.32..1. & 2) ☐ Part 9 Dwelling Unit? ☐ Self-contained Ventilation system serving only one dwelling unit? All non-solid fuel appliances direct-vent, or positive induced draft.? ☐ All gas fireplaces are direct-vent? TLess than 5 bedrooms? YES OR N/A NO TO ANY TO ALL Part 9 System Desired? Part 6 System YES Go to Part 6 Path ☐ Solid Fuel appliance? NO YES ☐ Electric Space Heat? ☐ Electric Space Heat? NO YES YES Type I ·Type IV Type II **Dwelling Unit Dwelling Unit Dwelling Unit** Couple Ventilation System Couple Ventilation System to Forced air system? to Forced air system? YES NO YES NO Options 2 or 3 Option 4 Options 1, 2 or 3 Option 4 (CVR093) (CVR093) (CVRO93) (CVRO93) CO Detector Required if Solid Ver 1.3 25/10/93 Fuel Appliance Present



LAURENTIAN VALLEY TOWNSHIP PUBLIC WORKS DEPARTMENT

460 WITT RD, PEMBROKE, ON K8A 6W5 Tel: 613-735-6291 Fax: 613-735-5820

APPLICATION FOR ENTRANCE INSTALLATION

Owners Name(s):		
Address:		
City:	Province:	Postal Code:
Phone Number:	I	Email:
LOCATION OF PROPOSED ENTRA	NCE:	
Type of Entrance: Residential	Commercial	☐ Farm ☐ Other ☐
Road Name and Civic Address (If App	plicable):	
Municipal Roll No.:	_ Lot:	Concession: Plan #:
Side of Road: East West	☐ North ☐	South
Location Description/ Comments:		
PROPOSED ENTRANCE REQUIRE Width:m (Typical 6m)	MENTS: Extension to E	Existing Entrance: Yes No
	If yes, Extensi	ion Width Requested: m
Sketch/Plan of area must be included litems to be included are:	ntage d proposed entrar	e sheet. nce (including nearby entrances to other
• • •	•	vithin 30 days of invoice Cost: \$120.00/m up to able Note: Minimum charge of \$250.00.

Date: _____

Energy Efficiency Design Summary: Prescriptive Method (Building Code Part 9, Residential)

This form is used by a designer to demonstrate that the energy efficiency design of a house complies with the building code using the prescriptive method described in Subsection 3.1.1. of SB-12. This form is applicable where the ratio of gross area of windows/sidelights/glazing in doors and sliding glass doors to the gross area of peripheral walls is not more than 22%.

Application No.		FOI US	se by Fi	I Madal/				
Application No:				iviodel/C	Certification Number			
A. Project Information	n							
Building number, street name						Unit number	Lot	/Con
Municipality Postal code					an number / other descrip	tion		
B. Prescriptive Cor	mpliance [indicate the building o	code co	mpliance	package being emplo	oyed in this house of	design]	
SB-12 Prescriptive (inp	ut design pad	ckage): Package	e:		Table	e:		
C. Project Design Co	nditions							
Climatic Zone (SB-1):		Heating Equipmer	nt Effic	iency	Space Heating F	Fuel Source		
□ Zone 1 (< 5000 degree day	rs) [⊐ ≥ 92% AFUE			□ Gas	□ Propane	□S	olid Fuel
□ Zone 2 (≥ 5000 degree day	rs)	⊐ ≥ 84% < 92% AF	UE		□ Oil	□ Electric	□E	arth Energy
Ratio of Windows, Skylights	s & Glass (W	V, S & G) to Wall A	Area		Other Building	Characteristics		
Area of walls =m ² or	1.14	W, S & G % =		es ⊓No	□ Log/Post&Bear □ Slab-on-ground □ Air Conditionin □ Air Sourced He	d □ Walkout Ba g □ Combo Uni	sement t	□ ICF Basement
Area of W, S & G =m ² o	r ft ²	<u>.</u>	.g	00 <u>_</u> 0	☐ Ground Source	ed Heat Pump (G	SHP)	
D. Building Specifica	· ·	de values and ratings	of the e	energy eff	iciency components	proposed]	<u> </u>	
Energy Efficiency Subs	titutions							
□ ICF (3.1.1.2.(5) & (6) / 3.1.	1.3.(5) & (6))						
□ Combined space heating a			tems (3.1.1.2.(7) / 3.1.1.3.(7))			
•		3 - 7 -		- (, , , , , , , , , , , , , , , , , , , ,			
□ Airtightness substitution(s)		.1.4.B Required:_			Permit	ted Substitution:		
Airtightness test required (Refer to Design Guide Attached)	□ Table 3.1.	.1.4.C Required:			Permit	ted Substitution:		
(Required:_				ted Substitution:		
Building Compone	nt M	Minimum RSI / R v or Maximum U-Va			Building Comp			iency Ratings
Thermal Insulation		Nominal Effec		Windo	ws & Doors Prov	vide U-Value ⁽¹⁾ or FR	I R rating	
Ceiling with Attic Space					ws/Sliding Glass		1	
Ceiling without Attic Space	1			Skylights/Glazed Roofs				
Exposed Floor				Mechanicals				
Walls Above Grade				Heating Equip.(AFUE)				
Basement Walls				HRV Efficiency (SRE% at 0°C)				
Slab (all >600mm below grade)				DHW Heater (EF)				
Slab (edge only ≤600mm below grade)			DWHR (CSA B55.1 (min. 42% efficiency))				# Showers	
Slab (all ≤600mm below grade,	or heated)			Combined Heating System			1	
(1) U value to be provided in eith	ner W/(m²•K) or	r Btu/(h•ft²•F) but not	both.					
E. Designer(s) [name(s)	& BCIN(s), if a	applicable, of person((s) provi	ding infor	mation herein to sub	stantiate that design	n meets th	e building code]
Qualified Designer Declara	ation of designe	er to have reviewed a	nd take	responsi	bility for the design w	ork.		
Name				BCIN		Signature		

Guide to the Prescriptive Energy Efficiency Design Summary Form

This form must accurately reflect the information contained on the drawings and specifications being submitted. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website or the municipal building department.

The building code permits a house designer to use one of four energy efficiency compliance options:

- 1. Comply with the SB-12 Prescriptive design tables (this form is for this option (Option 1)),
- 2. Use the SB-12 Performance compliance method, and model the design against the prescriptive standards,
- 3. Design to Energy Star, or
- 4. Design to R2000 standards.

COMPLETING THE FORM

B. Compliance Options

Indicate the compliance option being used.

• <u>SB-12 Prescriptive</u> requires that the building conforms to a package of thermal insulation, window and mechanical system efficiency requirements set out in Subsection 3.1.1. of SB-12. Energy efficiency design modeling and testing of the building is not required under this option. Certain substitutions are permitted. In which case, the applicable airtightness targets in Table 3.1.1.4.A must be met.

C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 Windows, Skylights and Glass Doors: If the ratio of the total gross area of windows, sidelights, skylights, glazing in doors and sliding glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. If the ratio is more than 22%, the SB-12 Prescriptive option may not be used. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 3.1.1.1. of SB-12 for further details. Fuel Source and Heating Equipment Efficiency: The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which SB-12 Prescriptive compliance package table applies. Other Building Conditions: These construction conditions affect SB-12 Prescriptive compliance requirements.

D. Building Specifications

Thermal Insulation: Indicate the RSI or R-value being proposed where they apply to the house design. Under the <u>SB-12 Prescriptive</u> option, alternative ICF wall insulation is permitted in certain conditions where other design elements meet higher standards. Refer to SB-12 for further details. Where effective insulation values are being used, the Authority Having Jurisdiction may require supporting documentation.

BUILDING CODE REQUIREMENTS FOR AIRTIGHTNESS IN NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered.

The air leakage rates in Table 3.1.1.4.A are not requirements. This provision is a voluntary provision for when credits for airtightness are claimed. Credit for air tightness allows the designer to substitute the requirements of compliance packages as set out in Table 3.1.1.4.B or 3.1.1.4.C. Neither the air leakage test nor compliance with airtightness targets given in Table 3.1.1.4.A are required, unless credit for airtightness is claimed. Table 3.1.1.4.A provides airtightness targets in three different metrics; ACH, NLA, NLR. Any one of them can be used. OBC Reference Default Air Leakage Rates (Table 3.1.1.4.A)

Decilation Temps	Airtightness Targets							
Building Type	ACH @ 50 Pa	NLA @	2 10 Pa	NLR @	9 50 Pa			
Detached dwelling	2.5	1.26 cm ² /m ²	1.81 in ² /100ft ²	0.93 L/s/m ²	0.18 cfm50/ft ²			
Attached dwelling	3.0	2.12 cm ² /m ²	3.06 in ² /100ft ²	1.32 L/s/m ²	0.26 cfm50/ft ²			

The building code requires that a blower door test be conducted to verify the air tightness of the house during construction if the <u>SB-12 Prescriptive</u> option with airtightness credit being applied. Results of the airtightness test may need to be submitted to the Authority Having Jurisdiction. Airtightness of less than 2.5 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of attached houses is necessary to meet the required energy efficiency standard.

E. House Designer

The building code requires designers providing information about whether a building complies with the building code to have a BCIN. Exemptions apply to architects, engineers and owners designing their own house.